GI-RO TECHNIK WIRE MESH





30.05.2023

EASY-WIRE-MESH





EASY-WIRE-MESH FOR PALLET RACK MODULES AVAILABLE EX STOCK

Grid length: 1122 mm


Grid width: 890 mm

Wire strength: 3,8 mm pre-galvanized

Applicable for standard level sizes

Rack depth:	1100 mm
Rack width:	1800 mm, 2700 mm, 3600 mm
Beam width:	50 mm

Load capacity acc. to ANSI H 26.2	Number of supports	Mesh	
5 kN	4	106 x 72,5 mm	
10 kN	7	106 x 53 mm	





EASY-WIRE-MESH FOR PALLET RACK MODULES AVAILABLE EX STOCK

Load cases

ARTICLES			LOADS		
ArtNr.	Туре	Load capacity acc. ANSI MH 26.2	Number of supports	Euro-Pallet 800 x 1200 mm Lengthwise storage*	Euro-Pallet 800 x 1200 mm Crosswise storage
G71-0801	EASY-WIRE-MESH 5 kN	500 kg	4	800 kg	500 kg
G71-0802	EASY-WIRE-MESH 10 kN	1000 kg	7	1200 kg	1000 kg

GI-RO DIE KRAFT ZU TRAGEN

*The pallets always fully stand on both beams.

WIRE-MESH FOR CANTILEVER RACKS SYSTEM EASY-LOCK



Especially applicable for

- Big projects with many cantilevers of the same size
- Low loads

Advantages:

- Integrated lock-in effect
- No extra fixing necessary
- Easy and rapid installation
- Minimum loss of storing height

